
DID YOU KNOW?

about our...

SPOT LIGHT

D-Lok® Range





Flanged Head Serrated Bolts & Nuts

BF12FCM

NF12FCM

Zinc Flake Coating · ZF · Hydrogen Embrittlement Risk Free ·

Zinc Flake Coating



D-LOK®

Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.

DID YOU KNOW?


about our...

SPOT LIGHT

D-LOK® Bolt

SERRATED FLANGED BOLT D-LOK®
ZINC FLAKE SILVER >1000HRS / HEC / CLASS 12.9

Part	Size	Length	Across Flats
		L (mm)	AF (mm)
BF12FCM08~	M8	16–35	13
BF12FCM10~	M10	16–50	15
BF12FCM12~	M12	25–80	17
BF12FCM14~	M14	35–70	17
BF12FCM16~	M16	30–100	22
BF12FCM20~	M20	40–90	27



Zinc Flake Coating ZF Hydrogen Embrittlement Risk Free



APPLICATIONS

- Equipment and machinery
- Conveyors - materials handling equipment
- Defence and military vehicles
- Trucks - large equipment
- Mining equipment
- Motorbikes
- Forklift

FEATURES

- Flanged - no additional washer required
- Serrated - to lock and clamp the connection

D-LOK®

You can download this Test Certificate and/or Report from our website:

hobson.com.au

Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.

DID YOU KNOW?

about our...

SPOT LIGHT

D-LOK® Nut

SERRATED FLANGED NUT D-LOK®
ZINC FLAKE SILVER >1000HRS / HEC / CLASS 12

Part	QFind	Size	Across Flats
			AF (mm)
NF12FCM08	**DLM8**	M8	13
NF12FCM10	**DLM10**	M10	15
NF12FCM12	**DLM12**	M12	19
NF12FCM14	**DLM14**	M14	22
NF12FCM16	**DLM16**	M16	24
NF12FCM20	**DLM20**	M20	30



Zinc Flake Coating · ZF · Hydrogen Embrittlement Risk Free



APPLICATIONS

- Equipment and machinery
- Conveyors - materials handling equipment
- Defence and military vehicles
- Trucks - large equipment
- Mining equipment
- Motorbikes
- Forklift

FEATURES

- Flanged - no additional washer required
- Serrated - to lock and clamp the connection

D-LOK®

You can download this Test Certificate and/or Report from our website:

hobson.com.au

Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.