PREMIUM


SDS-PLUS

HAMMER DRILL BIT - 3C

HOBSON ENGINEERING


3 CUTTER SOLID TUNGSTEN CARBIDE TIP

Premium solid carbide tip with pinpoint accuracy assures ultimate wear resistance and longer life span.




3 FLUTED SPIRAL GEOMETRY

The 3 flutes improve dust extraction with fast stable drilling.



CENTRING CUTTING EDGE

Precise positioning for accurate drilling with no slipping.



POWER-TX™

POWER-TX

HOBSON ENGINEERING

PREMIUM

SDS-PLUS

HAMMER DRILL BIT - 3C

PRECISE

INNOVATIVE

DURABLE



Solid **Tungsten Carbide** Tip

3-CUTTER

PXDMSP3C



ALLOY STEEL / S SERIES

PRODUCT RELEASE

SDS-PLUS

hobson.com.au

PRODUCT DATA

ALLOY STEEL / S SERIES / SDS-PLUS 3-CUTTER


SP-3C SDS-Plus 3-Cutter

POWER-TX

Applications
• Suitable for ceiling drilling • Masonry and hammer drilling • For use with concrete, masonry, asphalt and stone

Material	ALLOY Alloy Steel
Finish	ALLOY Alloy Steel





Features

- High-grade tungsten carbide tips ensures extreme toughness and wear resistance
- Three-cutter solid carbide tip with unique cutting geometry and self-centring point
- Special flute geometry ensures the optimum removal of drilling dust
- Superior material withstands repeated impact when executing high loading and high-speed drilling into concrete
- No seizing up when drilling reinforcing steel



3-CUTTER



SDS-PLUS



Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees, disclaim any and all liability to any person in respect to anything, or the consequences of anything done or omitted regarding the whole or any part of this document.

PRODUCT DATA


ALLOY STEEL / S SERIES / SDS-PLUS 3-CUTTER

POWER-TX

Dimensions

Part	QFind	Diameter (D)	Working Length (WL)	Length (L)
			(mm)	(mm)
PXDMSP3C040120	**PXDM203**	4.0	50	120
PXDMSP3C050120	**PXDM100**	5.0	50	120
PXDMSP3C050170	**PXDM101**	5.0	100	170
PXDMSP3C050220	**PXDM144**	5.0	150	220
PXDMSP3C050270	**PXDM145**	5.0	200	270
PXDMSP3C055120	**PXDM146**	5.5	50	120
PXDMSP3C055170	**PXDM147**	5.5	100	170
PXDMSP3C055220	**PXDM148**	5.5	150	220
PXDMSP3C055270	**PXDM149**	5.5	200	270
PXDMSP3C060120	**PXDM155**	6.0	50	120
PXDMSP3C060170	**PXDM102**	6.0	100	170
PXDMSP3C060220	**PXDM103**	6.0	150	220
PXDMSP3C060270	**PXDM156**	6.0	200	270
PXDMSP3C065120	**PXDM157**	6.5	50	120
PXDMSP3C065170	**PXDM158**	6.5	100	170
PXDMSP3C065220	**PXDM159**	6.5	150	220
PXDMSP3C065270	**PXDM160**	6.5	200	270
PXDMSP3C070170	**PXDM104**	7.0	100	170
PXDMSP3C080110	**PXDM105**	8.0	50	110
PXDMSP3C080170	**PXDM106**	8.0	100	170
PXDMSP3C080220	**PXDM107**	8.0	150	220
PXDMSP3C080270	**PXDM168**	8.0	200	270
PXDMSP3C080320	**PXDM169**	8.0	250	320
PXDMSP3C100120	**PXDM170**	10.0	50	120
PXDMSP3C100170	**PXDM108**	10.0	100	170
PXDMSP3C100220	**PXDM109**	10.0	150	220
PXDMSP3C100270	**PXDM110**	10.0	200	270
PXDMSP3C100320	**PXDM171**	10.0	250	320
PXDMSP3C120170	**PXDM111**	12.0	100	170
PXDMSP3C120220	**PXDM112**	12.0	150	220
PXDMSP3C120270	**PXDM113**	12.0	200	270
PXDMSP3C120320	**PXDM114**	12.0	250	320
PXDMSP3C120470	**PXDM115**	12.0	400	470
PXDMSP3C130170	**PXDM177**	13.0	100	170
PXDMSP3C130270	**PXDM116**	13.0	200	270
PXDMSP3C130320	**PXDM179**	13.0	250	320
PXDMSP3C130370	**PXDM117**	13.0	300	370
PXDMSP3C140170	**PXDM182**	14.0	100	170
PXDMSP3C140220	**PXDM183**	14.0	150	220
PXDMSP3C140270	**PXDM118**	14.0	200	270
PXDMSP3C140320	**PXDM184**	14.0	250	320
PXDMSP3C140420	**PXDM186**	14.0	350	420
PXDMSP3C140470	**PXDM119**	14.0	400	470
PXDMSP3C160170	**PXDM120**	16.0	100	170
PXDMSP3C160220	**PXDM121**	16.0	150	220
PXDMSP3C160270	**PXDM122**	16.0	200	270
PXDMSP3C160320	**PXDM187**	16.0	250	320
PXDMSP3C160420	**PXDM189**	16.0	350	420
PXDMSP3C160470	**PXDM123**	16.0	400	470
PXDMSP3C180270	**PXDM124**	18.0	200	270
PXDMSP3C180470	**PXDM125**	18.0	400	470
PXDMSP3C200270	**PXDM126**	20.0	200	270
PXDMSP3C200320	**PXDM196**	20.0	250	320
PXDMSP3C200470	**PXDM127**	20.0	400	470





Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees, disclaim any and all liability to any person in respect to anything, or the consequences of anything done or omitted regarding the whole or any part of this document.